

**CCIA ST MARYS
POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN**

NAME, LOCATION, ADDRESS & NATURE OF OPERATIONS.

Chemcolour Industries Australia Pty Limited – Manufacturing, is situated at St Mary's.

The site is situated in the St. Mary's industrial area, adjacent to Dunheved Industrial Park, on 1.4 hectares (3.5 acres). All business functions are located on this site – Manufacturing, Raw Materials and Finished Goods Warehousing, Administration, Sales and Technical Departments.

The site has been developed over the past 50 years as a chemical-manufacturing site and as such has a well-developed infrastructure of vessels, storage tanks, pipe runs and building suitable for a variety of processes and materials.

SITE PROCESS SUPPORT INFRASTRUCTURE

SITE PLAN - Refer APPENDIX A. (at front of hard copy folder)

INVENTORY OF DANGEROUS GOODS ST MARY'S SITE – Refer APPENDIX B. (at front of hard copy folder)

EMERGENCY CONTACT PHONE NUMBERS – Refer APPENDIX C. (at front of hard copy folder)

SAFETY SHOWERS & EYEWASH LOCATIONS – Refer APPENDIX D. (at front of hard copy folder)

Flameproof Zoning: -

The site is essentially Zone 1 Class 1 rated, necessitated by the historical handling of solvents and dangerous goods around the site. All forklifts are of the scrubbed diesel type. Pumps generally used are air operated Wilden type with various chemical resistances based on duty required. All vessels fixed and portable are earthed as are containers used for filling or decanting. Filters are GAF types with various particle size filter elements available.

On Site Utilities / Services

- Confidential

NUMBER OF PERSONS EXPECTED ON SITE.

- Confidential

INFRASTRUCTURE LIKELY TO BE AFFECTED BY A SERIOUS INCIDENT.

- Confidential

EMERGENCY PLANNING ASSUMPTIONS.

This Emergency Evacuation Plan deals mainly with fire and explosion hazards of flammable liquids and gases. One should note however that other hazards may exist as well, namely

- toxicity of gases and vapours,
- mechanical hazards, due to the high pressure of gases at ambient temperatures.

Toxicity

Most flammable liquids produce adverse health effects when they are swallowed or make contact with the skin or eyes.

Eye washes and emergency showers may help to mitigate the effects of contamination due to mishaps or incidents. Refer to Appendix D.

Many flammable liquids exhibit a considerable vapour pressure under process conditions. Like gases, the resulting vapours pose a health hazard when inhaled. The risk depends on the concentration of the vapour or gas in air, or the duration of the exposure and on the type of activity. The concentrations, which may cause adverse health effects, are much lower than those posing a fire and explosion hazard.

Examples:

	Exposure Limit	Lower Explosion Limit
Acetic Acid	10 ppm	4% = 40000 ppm
Ammonia	25 ppm	16% = 160000 ppm
Phenol	5ppm	1.3% = 13000 ppm
Formaldehyde	2ppm	7% = 70000 ppm

Physical hazards

Mechanical hazards result from the high pressure of pressurised gases such as natural gas, piped onto site, oxygen, nitrogen or acetylene in cylinders.

Fire and Explosion

Flammable liquids and gases represent high fire and explosion hazards due to

- their large heat of combustion (high fire load),
- their high burning rate,
- the possible formation of explosive atmospheres.

SITE INFRASTRUCTURE TO MINIMIZE HARM OR SPREAD

Spill Kits are located in Bay 8 and at DG Tanker unloading area.

- The locations of these are noted on the attached Site Plan. Appendix A
- A pallet of Absorbent material, in 25Kg bags, is located just inside the main door of the Warehouse, which can be transported, by forklift, to the location of any spill, for ease of handling.
- Each Warehouse area is individually bunded to contain spills and Firewater runoff.
- Stormwater and Firewater from the Top Yard, closest to the buildings, is directed to a bunded area on the Eastern boundary. This area has a "Blind Pit" at its lowest point which can be used for pumping out the contents of the bund.
- The lower part of the site, between the Truck Gate and the Emulsion bund, is also bunded to contain Stormwater and Firewater. Again a "Blind Pit" can be accessed to pump out the retained contents.
- The lowest point of the site is also fitted with a large valve which is normally closed. This is located below the Emulsion Bund, adjacent to the Wax tanker loading area. This enables the retention of Storm water and Firewater generated onto the roof of the Production and Office buildings.
- The concreted area in front of the Offices and the Western end of the main Production building is also bunded, fitted with a Normally Closed valve. This will only retain Stormwater and firewater which falls within that bunded area.

COMMUNICATIONS WITH NEIGHBOURS

- In the event of a Pollution Incident occurring on site, and the subsequent Evacuation of the site, we have a responsibility to inform our neighbours.
- Depending on the severity or potential severity to them, they may need to become prepared for evasive action to maintain their health.

- Once an Evacuation has occurred, and people are at the Assembly point, the Communications person is to nominate employees and despatch them to the various neighbouring properties.
- The people should be briefed, before they go, as to what they should say to the person contacted at the neighbouring properties. This will depend on the conditions at the time and if they need to take immediate action or be prepared to take action if/when the situation changes.
- Ongoing updates should be provided to all of the neighbours, including when the cause for the original evacuation has been removed.

NEIGHBOURS TO BE INFORMED

Weir and Harrod	11-17 Anne St	
Windoor	18 Anne St	
Tuka PVC	2/22 Anne St	
CBH Fabrications	27 Anne St	
Brazier Drums	32 Bent St	
Dunn Brother	4/34 Bent St	

DETAILS OF CHEMCOLOUR EMERGENCY CONTACT PERSONNEL.

Position	Name	Address	City	Postcode	Home phone
Operations Manager					
Works Engineer					
Technical Manager					
24 Hour Emergency Contact # 1800 809 900 for Product advice					

CCIA -- ST MARYS SITE

EVACUATION PLAN

TEAM RESPONSIBILITIES

**EMERGENCY CONTROLLER:
DEPUTY EMERGENCY CONTROLLER
PRODUCTION WARDEN:**

WAREHOUSE WARDEN:

COMMUNICATIONS:

FIRST AID:

SECURITY OFFICERS:

TECHNICAL ADVICE:

DUTIES AND ACTIONS OF THE EMERGENCY MANAGEMENT TEAM

EMERGENCY CONTROLLER

Duties

1. Control of all activities until able to hand over to the External Senior Emergency Service Officer.
2. Take action to ensure the safety of all personnel.

Actions

1. In an emergency/incident, take control of the situation.
2. Activate Evacuation Alarm to clear the site, if not already activated.
3. Receive information on the following from Wardens and others:-
 - A. Type of Emergency:
Fire, Explosion, Chemical Spill, etc.
 - B. Casualties:
Dead, Injured
 - C. Assistance Required:
Fire Brigade, Ambulance, Police, SES, Nepean Rescue Squad, etc.
 - D. Hazards:
Fire, Gas Leak etc.
4. Ensure that the relevant Authorities have been notified.
5. Ensure all personnel have been evacuated from the site, and are accounted for by using information on Bundy Cards, Visitors book, Staff movement records.

6. Delegate control of Carpark Gate.
7. Assist the Authorities in attendance, as required.
8. Keep senior management informed of developments.
9. Isolate Energy sources as directed by Emergency Services.
10. Allow employees to re-enter site when the Senior Emergency Service Officer permits, or in the case of a Practice Drill, make own decision.

EVACUATION ASSEMBLY AREA – Grassed area (council nature strip) between the Truck Gate entrance and the Car Park entrance.

THE ONLY EMPLOYEE PERMITTED TO TALK TO THE MEDIA DURING AN EMERGENCY IS THE FOLLOWING:

Operations Manager

DEPUTY EMERGENCY CONTROLLER

Duties

1. Assist the Emergency Controller with the overall control procedure.
2. During the absence of the Emergency Controller, the Deputy will assume control.

Actions

1. Activate Evacuation alarm to clear the site, if not already activated.
2. Receive or relay information on the following:-
 - A. Type of Emergency:
Fire, Explosion, Chemical Spill, etc.
 - B. Casualties:
Dead, Injured.
 - C. Assistance Required:
Fire Brigade, Ambulance, Police, SES, Nepean Rescue Squad, etc.
 - D. Hazards:
Fire, Gas Leak etc.
2. Take control in the absence of the Emergency Controller.
3. Proceed to the evacuation assembly area and ensure ALL persons are accounted for via the roll call, using information on Bundy Cards, Visitors Book, Staff Movements Record. Report this information to the Emergency Controller.
4. Direct the Fire Brigade, Police and/or Ambulance Service.
5. Take further direction from the Emergency Controller.

EVACUATION ASSEMBLY AREA – Grassed area (council nature strip) outside between the Truck Gate entrance and Car Park entrance.

WARDENS

Duties

1. Take control of his/her allocated area.
2. Ensure that all personnel are evacuated before reporting the site clear to the Emergency Controller.

Actions

1. On notification of an emergency/incident assess the situation, and then inform the Emergency Controller of the following.
 - A. Type of Emergency:
Fire, Explosion, Chemical Spill, etc.
 - B. Casualties:
Dead, Injured
 - C. Assistance Required:
Fire Brigade, Ambulance, Police, SES, Nepean Rescue Squad, etc.
 - D. Hazards:
Fire, Gas Leak etc.
2. Activate Evacuation Alarm to clear the site, if not already activated.
3. Complete a physical search of the designated area and ensure all personnel have evacuated.
- 3a. Production Area Warden must stop Boiler and Air Compressor, collect bundy cards, contractor book and take these to Emergency Controller in evacuation assembly area.
4. Report to the Emergency Controller that the area is all clear.
5. Arrange assistance for any physically handicapped or injured personnel.
6. Assist the Authorities.
7. Take direction from the Emergency Controller.

EVACUATION ASSEMBLY AREA – Grassed area (council nature strip) between the Truck Gate entrance and the Car Park entrance.

COMMUNICATIONS PERSON.

Duties

1. Activate the Evacuation alarm to clear the site, if not already activated.
2. Ensure that all incoming calls are switched to the night switch.

Actions

1. Immediately inform the Emergency Controller.
2. Evacuate to Emergency Assembly Area.
3. For a Pollution Incident, contact by phone, each of the following authorities, advising them of the situation at the site. This must be done "Promptly and Without Delay".
 - NSW EPA
 - NSW Health
 - NSW Fire and Rescue, or local brigade at Dunheved.
 - WorkCover NSW
 - Penrith City Council

Refer to APPENDIX C for contact numbers

4. Notify Ambulance, Police, SES, and Nepean Rescue Squad as directed.

The following information shall be relayed in this instance:-

- A. Type of Emergency:
e.g. Fire, Explosion, Chemical Spill, etc.
- B. Casualties:
Dead, Injured
- C. Assistance Required:
Fire Brigade, Ambulance, Police, SES, Nepean Rescue Squad, etc.
- D. Hazards:
Fire, Gas Leak etc.
- E. Site Address: CHEMCOLOUR INDUSTRIES AUST P/L

ST. MARYS

Telephone

- F. Nearest cross street –

5. Take Bundy Cards, Visitor's Book and Staff Movement book to the Evacuation Assembly Point.
6. Contact surrounding properties using a mobile phone or sending employees. Numbers listed over page.
7. Take direction from the Emergency Controller.

EVACUATION ASSEMBLY AREA – Grassed area (council nature strip) between the Truck Gate entrance and the Car Park entrance.

**Appendix C -- EMERGENCY CONTACT NUMBERS
IMMEDIATE CONTACT**

NSW EPA Environment Line	131555
NSW Health	02 9391 9000
NSW Fire and Rescue – Local Fire Brigade Dunheved	02 9623 1215
WorkCover NSW	131050
Penrith City council	02 4732 7777

CONTACT DETAILS FOR THE EMERGENCY SERVICES – if required.

CONTACT	PHONE NUMBER
AMBULANCE / FIRE / POLICE.	000
TINDALE MEDICAL CENTRE 115 Lethbridge street Penrith	47295100
NEPEAN HOSPITAL Great Western Highway Kingswood	4734 2000
INTEGRAL ENERGY (Electricity)	131003
SYDNEY WATER. Service Difficulties & Emergencies.	132090
AGL (Gas) Gas leak or hazard	131909
FIRE BRIGADE DUNHEVED –	9623 1213
FIRE BRIGADE ST MARY'S – Corner Marsden rd / GT Western Highway	9623 3897
POLICE ST MARY'S 323 Great Western Highway	9677 5099
POISON INFORMATION Westmead	131126
NATIONAL SECURITY HOTLINE	1800 123 400

NEIGHBOURS TO BE INFORMED

Weir and Harrod	11-17 Anne St	
Windoer	18 Anne St	
Tuka PVC	2/22 Anne St	
CBH Fabrications	27 Anne St	
Brazier Drums	32 Bent St	
Dunn Brother	4/34 Bent St	

EMERGENCY SECURITY OFFICERS

Duties

1. Take control over the Truck Entry gate.

Actions

1. Proceed to the emergency assembly area.
2. Get your name marked off.
3. Proceed directly to No. 1 – Truck Entry Gate
4. Close and control movement through entry gate.
5. Provide access for Emergency vehicles at all times.
6. Direct Emergency Services personnel to the Emergency Controller.
7. Take direction from the Emergency Controller.

The Police will manage all road traffic during an emergency.

EVACUATION ASSEMBLY AREA – Grassed area (council nature strip) between the Truck Gate entrance and the Car Park entrance.

FIRST AIDERS

Actions

1. Collect the area's first aid kit and proceed to the evacuation assembly area.
2. Receive information from Emergency controller on:-
 - A. Type of Emergency:
Fire, Explosion, Chemical Spill, etc.
 - B. Casualties:
Dead, Injured
 - C. Assistance Required:
Fire Brigade, Ambulance, Police, SES, Nepean Rescue Squad, etc.
 - D. Hazards:
Fire, Gas Leak etc.
2. Attend to first aid requirements as directed by the Emergency Controller.
3. Stand by for instruction from the Emergency Controller or external emergency services.

EVACUATION ASSEMBLY AREA – Grassed area (council nature strip) between the Truck Gate entrance and the Car Park entrance.

THE EVACUATION ALARM

This is a continuous sounding alarm activated from an alarm button in the area. There are 13 of these located around the site.

Sequence of raising alarm:

- a) If there is a problem sufficient to warrant evacuation immediately inform the Emergency Controller.
- b) Emergency Controller assesses the situation, and if necessary directs the Activation of the Evacuation Alarm to commence evacuation instruction. If the alarm malfunctions then the order to evacuate will be relayed via a runner or PA system.
- d) If the Emergency Controller or deputy is not immediately available, or if the problem is catastrophic this procedure may be short-circuited by an operator pressing an alarm button.
Information required to be given to the Emergency Controller includes:-
 - A. Type of Emergency:
Fire, Explosion, Chemical Spill, Etc.
 - B. Location of emergency
 - C. Casualties:
Dead, Injured
 - D. Assistance Required:
Fire Brigade, Ambulance, Police, SES, Nepean Rescue Squad
 - E. Hazards:
Fire, Gas Leak, burst disk blow off, etc.

ON-SITE COMMUNICATIONS SYSTEM.

The internal Public Address System (PA) will be used for the making of announcements in an emergency/incident situation.

In the event of the PA network failing, messengers nominated by the Emergency Controller, Deputy Emergency Controller and Wardens will relay messages.

The Emergency Controller will inform the Fire Brigade, Ambulance Service and NSW Police of the emergency if appropriate, if not already done.

THIS COULD BE DONE USING A MOBILE PHONE OF ONE OF THE EVACUATED EMPLOYEES.

EMERGENCY RESOURCES ON - SITE.

The following resources are available on site:

- 2 hydrants are located on site. At each hydrant is a fire cabinet which contains the following
 - 3 * 38mm diameter hoses of 20 metre length
 - 1 * Akron branch
 - 1 * Foam adaptor & foam.
 - 2 * Spill Kits in yellow 240Litre wheeled bins

Throughout the site at various locations are fire hose reels and fire extinguishers of the following types,
Water,
Foam,
Dry Chemical and
Carbon Dioxide.

SAFE EVACUATION & MUSTERING OF PERSONNEL.

IN EVENT OF FIRE OR OTHER EMERGENCY

- In case of a fire, employees should actuate the nearest fire alarm box by depressing the button and/or make a telephone call to the Fire Brigade, dial (0)-000. The locations of the fire alarm boxes are noted on the evacuation floor plans. The alarm alerts personnel of the need for evacuation and sends a signal to the mimic board in the production office that there is an alarm condition on the site.
- It may be necessary to activate additional fire alarm boxes, or shout the alarm, if people are still in the building and the alarm has stopped sounding, or if the alarm does not sound. This can be done while exiting the building.
- Persons discovering a fire, smoky condition, explosion or major Loss of Containment should activate an Evacuation alarm button. Any pertinent fire or rescue information should be conveyed to the Fire Brigade. All emergency telephone numbers are listed at the beginning of this EEP.

Action

1. PROCEED TO THE ASSEMBLY AREA (NATURE STRIP BETWEEN THE FRONT GATES).
2. ENSURE AS YOU ARE LEAVING, YOU CLOSE ALL DOORS ON YOUR WAY OUT.
3. DO NOT USE THE FRONT PLANT VERANDAH – AS IT IS CLOSE TO NUMEROUS HAZARDS.
4. GO VIA THE MOST DIRECT AND SAFE ROUTE TO THE ASSEMBLY POINT EXCLUDING THE FRONT PLANT VERANDAH.
5. DO NOT RUN – WALK PURPOSIVELY.
6. DO NOT RE-ENTER THE SITE.
7. WARDENS TO CHECK OFFICES/AMENITIES ETC. ON THE WAY OUT AND REPORT ANY RELEVANT INFORMATION TO THE EMERGENCY CONTROLLER AT THE ASSEMBLY AREA.
8. GO TO THE ASSEMBLY POINT AND STAY THERE UNTIL TOLD OTHERWISE BY THE EMERGENCY CONTROLLER. GATES SHOULD BE LOCKED / MONITORED TO PREVENT TRUCKS/VISITORS ENTERING THE SITE.
9. ENSURE THE SAFETY OF VISITORS, CONTRACTORS, TRUCK DRIVERS, AND CCIA EMPLOYEES.
10. PANIC MUST BE AVOIDED AT ALL COSTS, IF UNCHECKED A FATAL SITUATION COULD RESULT.

POINTS TO REMEMBER

1. All persons should be aware of the hazards of hot gases and smoke, and have some idea of the best ways of dealing with these hazards.
2. Any person found overcome by smoke or gas should be moved immediately to a smoke free atmosphere, and resuscitation methods applied by a First Aider.
3. Any rescue method is a good method.
4. Do not place yourself in any danger.

CONTAINMENT OF INCIDENTS.

CCIA can initially respond to leaks, odours and spills involving chemicals, diesel, natural gas and other similar concerns with detection equipment currently available on site. The St Mary's site has and maintains the following combustible gas detectors that are capable of detecting gases with a flammable range as well as oxygen, carbon monoxide and hydrogen sulfide:

1. Industrial Scientific 4 Gas Monitors – QA Lab
2. Gas Detector's Class 3 Dangerous Goods Store.

A. Asbestos Incidents

Incidents involving or believed to be asbestos should be immediately reported to the Group Operations Manager or Production Manager. They shall, to the best of their ability mitigate the hazard until an outside contractor can be employed. The Site Asbestos Register is located in the top drawer of the flameproof cabinet in the rear corner of the Customer Service office.

B. Corrosive Material

1. Incidents involving corrosive chemicals should first be checked to determine pH.
2. pH paper or similar shall be used to ascertain whether the chemical is acidic or basic
3. Using the appropriate Personal Protective Equipment, after consulting the MSDS, trained staff could attempt to neutralize the material.
4. Sodium Bicarbonate should be utilized for spills involving acids
5. Acetic Acid should be used for spills involving bases

C. Flammable Liquids

Incidents involving flammable liquids should first be checked for the Lower Explosive Level, here-after referred to as LEL to check the flammability or ignitability of the Hazardous Material. Emergency Response Personnel should utilize the Flammable Gas Detection Device located in the lab or the P.I.D.

1. If the gas detector indicates a level higher than 10% of the LEL, evacuate the building and contact the Emergency Controller
2. If the spilled material is not within the flammable range...
 - absorb the material utilizing Dri Sorb, Socks, Pads, contained in Portable Spill Kits located in Bay 8 and adjacent to DG Tanker Unloading area.
 - The material should then be double bagged, labelled and placed in the Main Accumulation Area for future pick-up.

D. Poisons

Incidents involving poisons most likely will not be able to be taken care of in-house. Respiratory protection will need to be worn in order to prevent or limit personnel over-exposure.

- Contact Operations Manager or Technical Manager.

MINOR RELEASES

Initial Response and Notification

1. Chemical releases that can be cleaned up by personnel on the spot are defined as minor. Minor releases involve low toxicity liquids or solids not generating dangerous gases or fumes, e.g., small acid and solvent spills, hydraulic fluids, fuel oils, etc. Minor releases are limited in quantity and pose no emergency or significant threat to the safety and health of employees.
2. Notify persons in the immediate area and prevent access to the release if possible. Evacuate persons in the immediate vicinity if they are at risk.
3. If flammable or combustible liquids are released immediately turn off all sources of ignition.
4. Avoid breathing vapours from the chemical. If in a Laboratory, open windows and turn on a hood fan. Close the sash if the release was in a hooded cabinet.
5. Contact the Production Manager if assistance is needed in cleaning up the chemical.

Specific Emergency Procedures

1. Determine the name of the chemical by checking labels and shipping papers. Obtain the SDS and identify the hazards associated with the chemical. Is it flammable, combustible, reactive, toxic, corrosive, or an oxidizing agent?
2. Do not touch the chemical. Consult the SDS. Wear appropriate gloves, eye protection, and protective clothing if necessary. For concentrated acids and alkalis, a face shield is needed in addition to goggles. Wear an air-purifying respirator if hazardous gases, fumes, or dusts are present that are within the range of protection of the respirator. Ensure that proper cartridges are used. Anyone who wears an air-purifying respirator must be properly trained and medically evaluated.
3. Stop the leak at the source and try to prevent the release from spreading. Prevent the release from entering drains or leaking onto the ground. Upright overturned containers. Turn the container so that a hole points up. Transfer liquids from leaking containers to new ones. Plug or patch a leaking drum. Surround liquids with an inert absorbent such as vermiculite or spill booms.

- 4. Absorb small releases of acids, caustics, solvents, oil, and aqueous solutions with paper towels, spill pads, or spill control pillows. Paper towels should not be used for more than tiny amounts of volatile liquids because the paper will aid evaporation. Using tongs, carefully place towels, pads, or pillows onto the chemical. Pick up flammable liquid control materials using spark proof tools (e.g. plastic). Carefully pick up the saturated material with a scoop or tongs, place in a plastic bag, label, and dispose as hazardous waste. Keep oxidizers away from combustible materials (wood, paper towels, oil, etc.).
- 5. For a large liquid release, use a squeegee to bring the liquid into contact with absorbents. Always work toward the centre of the release. If an absorbent is not readily available cover the chemical with a plastic sheet to reduce vaporization.
- 6. Carefully push solids into a pile with a plastic scraper. Brushes and brooms may create an unacceptable dust hazard and should be used with caution.
- 7. Acid and base residues that were not absorbed by the vermiculite or spill-pillows should be removed with neutralizers. Small acid releases can be neutralized with sodium bicarbonate or sodium carbonate and alkali spills with sodium bisulfate, citric acid or vinegar. Commercial adsorbent control materials can also be used. Wash the contaminated area with soap and water to remove any remaining residues.

MAJOR RELEASE

Initial Response & Notification

- 1. Any incident which endangers people, property, or the environment should be treated as a major release. If you are unsure about the severity, or the hazards are unknown, treat it as a major release.
- 2. The following are examples of chemical releases that should be considered major: Vessel shell failure, Bulk storage tank failure, ISO tank failure, road Tanker failure.
- 3. Do not attempt to clean up a major release. Only trained emergency response personnel should handle major chemical releases.
- 4. If flammable or combustible liquids are released, immediately turn off all sources of ignition. If you have been exposed to a toxic chemical, get into fresh air as quickly as possible.
- 5. Remain calm. Evacuate persons in the immediate vicinity of the release. Remove injured personnel to fresh air or an emergency shower or eyewash. If occupants in the building are in danger, press the Evacuation alarm button to evacuate the building. Evacuate to an upwind location for toxic gases such as chlorine. Assemble in a designated area well away from the building. If in a Laboratory, on your way out, open windows and turn on a hood, if possible. Close the sash if the release was in a hood. Close the door and turn off the air conditioning and ventilation systems to prevent vapours from spreading throughout the building. Do not put yourself in danger.
- 7. Report the chemical release to the Production Manager. Wait in a safe place for emergency personnel to arrive and direct them to the location of the release. Provide the following information:
 - Name and telephone number of the caller
 - Location of the release
 - Name and quantity of materials involved
 - Extent of injuries, if any
 - Environmental concerns, such as the location of stormwater drains & streams
 - Any unusual features such as foaming, odour, fire, etc.
 - Any terrorism activity suspected.

Amendment History

Version	
02/02/2010	Revised to include format changes, location map, additional phone numbers and remove the ERT.
07/09/2012	Revised per review schedule.
1/11/2014	Revised to incorporate Pollution Incident Response Plan
23/11/2015	General review and revised to account for changes in senior site personnel

Date Issued: 07 September 2012	Pollution Incident Response Plan and Emergency Response Procedure – St Marys	Doc Ref: 7.1 WI 08
-----------------------------------	---	-----------------------

Revised By: S Ripley	Approved By: Regulatory & QC Manager (CIA) HARD COPIES OF THIS DOCUMENT ARE NOT CONTROLLED	Page 14 of 14
-------------------------	--	---------------